



---

Product Data Sheet

---

**Anti-Ferret IgG (H+L) Antibodies and conjugates**

<b>Cat # 70510</b>	Goat Anti-Ferret IgG (H+L), unlabeled	<b>Size:</b> 0.5 mg	<b>Form:</b> <input type="checkbox"/> Liquid; <input type="checkbox"/> Powder
<b>Cat # 70511</b>	Goat Anti-Ferret IgG (H+L)-HRP conjugate	<b>Size:</b> 0.5 ml	<b>Form:</b> <input type="checkbox"/> Liquid; <input type="checkbox"/> Powder

---

**Description**

Goats were immunized with antigen grade **Ferret IgG (whole molecule)**. Antibodies have been isolated using ammonium sulfate, ion-exchange, and affinity chromatography to remove non-specific antibodies. Specificity of antibody has been tested using IEP, immunodiffusion, and ELISA. The product reacts with Ferret IgG, IgA, IgM with no significant reactivity with other serum proteins. The antibody may recognize other species Ig's. Purified anti-Ferret IgG antibody is supplied as unlabeled or conjugated to Biotin, FITC, AP or HRP.

**Form and Storage**

**Cat# 70510, Anti-Ferret IgG (H+L), unlabeled**

The antibody is supplied in PBS, pH 7.4, and 0.05% azide in either **lyophilized** (0.5 mg) or **liquid** form (1 mg/ml). Reconstitute powder in PBS in 1.0 ml to prepare 1 mg/ml solution. Store at -20°C in suitable aliquots. Stability is ~6-12 months. Do not freeze and thaw.

**Cat#70511, Anti-Ferret IgG (H+L)-HRP-conjugate**

Purified antibody was coupled to HRP (RZ>3.0) using periodate method. The molar enzyme to protein (E/P) ratio = 4.0. The antibody is supplied in stabilizing buffer, 0.1% prolcin-300 as preservative in either **lyophilized** (0.5 ml) or **liquid** form (0.5 ml; 0.5-1 mg/ml). Reconstitute powder in PBS in 1 ml. Store at 4°C in suitable aliquots. Stability is ~6-12 months. Do not freeze and thaw.

Suggested conjugate dilutions are 1:1,000-1:10,000 ELISA, 1:1K-1:5K for western, and 1:200-1:1000 (IHC).

**Recommended Working Dilution for ELISA**

Working dilution for the specific application should be determined by the investigator to obtain the best conditions. Working solution should be prepared immediately before use and diluted solution should be discarded.

---

**Related Material available for ADI**

**Ferret IgG, IgM ELISA kits**

Anti-Ferret IgG (H+L), IgG, IgG (H+L), IgG (H+L) antibodies and conjugates

ELISA kits for the detection of Ferret Antibodies

**Western blot recycling kit** (Use the same blot/strip to probe with multiple antibodies) Strip **Antibodies in 5 minutes** (no heating or mercaptoethanol)

70510, 70511

190219AC