



Product Data Sheet

Cat # RP-1046

Recombinant Human Interleukin-8 (1-77) (CXCL8), His Tag

Size: 10 ug

Interleukin-8 (IL-8) is a chemokine produced by macrophages and other cell types such as epithelial cells. It is also synthesized by endothelial cells, which store IL-8 in their storage vesicles, the Weibel-Palade bodies. When first encountering an antigen, the primary cells to encounter it are the macrophages that phagocytose the particle. Upon processing, they release chemokines to signal other immune cells to come in to the site of inflammation. IL-8 is one such chemokine. It serves as a chemical signal that attracts neutrophils at the site of inflammation, and therefore is also known as Neutrophil Chemotactic Factor.

Source: *Escherichia Coli*. Interleukin-8 produced in E.Coli is single, a non-glycosylated, Polypeptide Human Recombinant chain containing 77 amino acids fragment (23-99) and having a total molecular mass of 15 kDa with an amino-terminal hexahistidine tag. The IL-8 His is purified by proprietary chromatographic techniques. IL8 His is supplied in 1x PBS and 50% glycerol.

Applications and Suggested Dilutions: Greater than 95.0% as determined by: (a) Analysis by RP-HPLC. (b) Analysis by SDS-PAGE. Users must optimize the appropriate concentration and conditions for each assay.

Storage and Stability: Store at 4°C if entire vial will be used within 2-4 weeks. Store, frozen at -20°C for longer periods of time. Please avoid freeze thaw cycles. If supplied in powder then reconstitute it in 100 ul water for 1 mg/ml stock and store in liquid at 4°C for ~1 week or aliquots in suitable size and store at -20°C for long term storage.

Usage:

This item is for LABORATORY RESEARCH USE ONLY. The product may not be used as drugs, agricultural or pesticidal products, food additives or household chemicals

RP-1046 120419A